A CLASSIFIED CATALOGUE

OF THE

BIRDS OF CANADA;

INCLUDING

EVERY SPECIES KNOWN TO VISIT THE SEVERAL PROVINCES WHICH NOW FORM THE DOMINION OF CANADA.

BY

ALEXANDER MILTON ROSS,

M.A., M.D., M.R.S.L., ENG.,

MEMBER OF THE ENTOMOLOGICAL SOCIETIES OF ENGLAND, BELGIUM, AND CANADA; CORRESPONDING MEMBER OF THE ZOOLOGICAL SOCIETY OF ENGLAND; MEMBER OF THE LINNÆAN SOCIETY OF BELGIUM, ETC., EFC.

TORONTO:
ROWSELL & HUTCHISON.
1872.



A CLASSIFIED CATALOGUE

OF THE

BIRDS OF CANADA;

INCLUDING

EVERY SPECIES KNOWN TO VISIT THE SEVERAL PROVINCES WHICH NOW FORM THE DOMINION OF CANADA.

 \mathbf{BY}

ALEXANDER MILTON ROSS,

M.A., M.D., M.R.S.L., ENG.,

MEMBER OF THE ENTOMOLOGICAL SOCIETIES OF ENGLAND, BELGIUM, AND CANADA; CORRESPONDING MEMBER OF THE ZOOLOGICAL SOCIETY OF ENGLAND; MEMBER OF THE LINNÆAN SOCIETY OF BELGIUM, ETC., ETC.

TORONTO:
ROWSELL & HUTCHISON.
1872.



CLASSIFIED CATALOGUE

OF THE

BIRDS OF CANADA.

ORDER I.—RAPTORES.

Falco anatum.

columbarius.

vulgaris.

Tinnunculus sparverius. Astur atricapillus.

Accipiter Cooperii.

fuscus.

Buteo borealis.

lineatus.

pennsylvanicus. Archibuteo lagopus.

sancti johannis.

Circus hudsonius.

Haliætus leucocephalus.

Aquila canadensis. Pandion carolinensis.

Bubo virginianis. Scops asio.

Otus Wilsonianus.

Brachyotus Cassinii.

Syrnium nebulosum. cinereum.

Nyctale Richardsonii.

acadica.

Nyctea nivea.

Surnia ulula.

Stix cunicularia.

" passerinoides.

ORDER II.—SCANSORES.

Coccygus americanus.

erythropthalmus. Picus villosus.

- pubescens.
- lineatus.
- canadensis.
- Harrissii.
- Gardnerii.
- arcticus.

Picus mexicans.

Picoides arcticus.

hursutus.

Sphyrapicus varius.

Melanerpes erythrocephalus.

Hylatomus pileatus.

Colaptes auratus.

Centurees carolinensis.

ORDER III.—INSESSORES.

Trochilus colubris.

' Anna.

" rufus.

Chetura pelasgia. Hirundo americana.

" lunifrons.

" riparia.

" bicolor.

thallasima.

Progne purpurea.

Caprimulgus vociferus.

" carolinensis. Chordeiles popetue.

Ceryle alcyon.

Tyrannus carolinensis. Myiarchus crinitus. Sayornis fuscus.

Contopus virens.

Empidonax minimus. Turdus mustelinus.

" pallassii.

" fuscescens.

" Swainsonii.

" migratorius.

" nævius.

" nanus.

" montanus.

Harporhynchus rufous. Galeoscoptes carolinen-

sis.

Sialia sialis.

" occidentalis.

" arctica.

Regulus calendula.

Regulus satrapa. Regulus Cuvieri.

Parus atricapillus.

" minimus.

" Hudsonicus.

Sitta carolinensis.

" canadensis.

Certhia americana. Cistothorus palustris. Troglodytes hyemalis.

ædon.

" obsoletus.

" Parkmanii.

Mniotilta varia. Parula americana. Geothlypis trichas.

" philadelphiæ.

" Macgillyrai.

Sylvia trichas.

" Audubonii.

Townsendii.

" occidentalis.

Dendroica virens.

" palmarum.

" tigrina.

" canadensis.

coronata.

" Blackburniæ.

" castanea.

" pinus.

" pennsylvanica.

Curvirostra leucoptera.

Plectrophanes nivalis.

pusilla.

cœrula.

palustris.

tina.

cardinalis.

Lapponicus.

Ægiothus linaria.

ORDER III.—INSESSORES.—Continued.

Dendroica striata. æstiva. maculosa. Myiodioctes canadensis. mitratis. Passerculus savanna. minutus. Poocætes gramineus. pusillus. Coturniculus passerinus. Helmitherus vermivo-Zonotrichia leucophrys. rus. Zonotrichia albicollis. Helminthopaga pinus. Junco hyemalis. chrysoptera. Spizella monticola. ruficapilla. Helminthopaga pere-Spizella socialis. grina. Melospiza melodia. Icteria viridis. Setophaga ruticilla. Passerella iliaca. Seiurus aurocapillus. Emberiza americana. noveboracensis. Guiraca Ludoviciana. Pyranga rubra. Ampelis cedrorum. Coccothraustes vesper-Collyrio borealis. excubitorides. Vireo olivaceous gilvus. noveboracensis. flavifrons. solitarius.

melanocephalus. vespertina. cœrulea. Cyanospiza cyanea. Eremophila cornuta. Pipilo erythropthalmus. Pinicola canadensis. Dolichonyx oryzivorus. Carpodacus purpureus. Molothrus pecoris. Chrysomitris tristis. Agelaius phœniceus. Sturnella magna. pinus. Curvirostra americana. Icterus spurius.

ORDER III.—INSESSORES.—Continued.

Icterus baltimore.

" Bullockii.

" xanthrocephalus. Scolecophagus ferrugineus.

Quiscalus versicolor. Corvus americanus.

" corax.

' Nuttallii.

" Bullockii.

Cyanurus cristatus. Perisoreus canadensis. Garrulus Stelleri.

" ultramarinus. Musicicapæ verticalis.

" nigricans.
" Phœbe.

Musicicapæ Trailli.

"pusilla.
Ptilogonys Townsendii.

Cinclus americanus. Fringilla Townsendii.

" cinera.

" Mortonii.

" Oregonii.

frontalis.bephrocotis.

Enteriza pallida.

' Îapponica.

ornata.

Spiza amœna. Carduelis psalteri. Pipilio arcticus.

Corydalina tricolor.

ORDER IV.—RASORES.

Ectopistes migratoria. Zenaidura carolinensis. Tetrao canadensis. Bonasa umbellus. Tetrao phasianellus.

" leucurus.

" rupestris.

" mutus.

Tetrao Phasianellus.

urophasimus.

" obscurus.

Ortyx virginianus. "plumifera.

Meleagris gallopavo. Columba fasciata.

ORDER V.—GRALLATORES.

Ardea herodias. Ardetta exilis. Botaurus lentignosus. Butorides virescens. Nyctiardea Gardenii. Grus canadensis. americana. Ibis falcinellus. Charadrius virginicus. montanus. Ægialitis vociferus. Wilsonius. semi-palmatus. melodus. montanus. Scollopax Drummondii. Squatarola helvetica. Hæmatopus palliatus.

niger.

Townsendii. Strepsilas interpres.

melanocephala. Recurvirostra americana.

Phalaropus hyperboreus.

Wilsonii. fulicarius.

Philohela minor. Gallinago Wilsonii. Macrorhamphusgriseus. scolopaceus.

Tringa canutus.

Cooperii.

Tringa maritima.

subarquata.

alpina.

maculata. Wilsonii.

Bonapartii.

Calidris arenaria. Ereunetes petrificatus. Micropalma himantopus.

Symphemia semi - palmata.

Gambetta melanoleuca.

flavipes. Rhyacophilus solitarius. Tringoides macularius. Actiturus Bartramius. Tringites rufescens. Limosa fedoa.

hudsonica. Numenius longirostris.

borealis. hudsonicus.

Rallus elegans.

crepitans.

virginianus. Porzana carolina.

noveboracensis.

P

jamaicensis.

Crex pratensis. Fulica americana. Gallinule martinica. Aphriza Townsendii.

ORDER VI.—NATATORES.

Cygnus americanus.

" buccinator.
Anser hyperboreus.

" Gambelli.

" frontalis.

" Hutchinsii.

Bernicla canadensis.

leucopareia. brenta.

biena -------

Anas boschas.

" obscura.

Dafila acuta.

Nettion carolinensis. Querquedula discors.

" cyanoptera.

Spatula clypeata.

Chaulelasmus streperus. Mareca americana.

Aix sponsa.

Fulix marila.

" affinis.

" collaris.

Fuligula despar.

Aythya vallisneria.
" americana.

Bucephala islandica.

" albeola.

Histrionicus torquatus.

Harelda glacialis.

Melanetta velvetina.

Pelionetta perspicillata.

Oidemia americana.

Somateria mollissima.

Somateria spectabalis. Erismatura rubida.

Erismatura dominica.

Mergus serrator.

" americanus.

Lophodytes cucullatus.

Pelicanus fuscus.

" erythrorhynchus.

Sula bassana.

Graculus carbo.

" dilophus.

Phalacrocorax resplendens.

" Townsendii.

Stercorarus parasiticus.

" pomarinis.

Larus marinus.

" argentatus.

" Rossii.

" Franklinii.

" Sabinii.

" canus.

" leucopterus.

" delawarensis.

" eberneus.

Creagrus furcatus.

Chroicocephalus atricilla.

" philadelphia.

Rissa tridactyla. Sterna aranea.

" caspia.

" Wilsonii.

ORDER VI.—NATATORES.—Continued.

Sterna arctica.

" frenata.

" fulignosa.

" paridisea.

Colymbus torquatus.

septentrionalis.

Podiceps griseigena.

" cristatus.

" cornutus.

Podilymbus podiceps. Thalassidroma Wilsonii.

" Leachii.

Puffinus major.

" cinereus.

" anglorum.

" obscurus.

Alca impennis.

Alca torda.

Mergulus alle.

Mormon arctica.

" glacialis.

Uria grylle.

" lomvia.

" ringvia.

" Brunswickii.

" Townsendii.

" occidentalis.

' antiqua.

Phaleris nodirostris.

" cristaletta.

Procellaria tenuiristris.

" pacifica.
" gigantica.

Diomeda fusca.

" chlorroryhnchus.

